

# Amarok PanAmericana Specification



Commercial  
Vehicles



# Amarok PanAmericana Specification

X = standard O = optional - = not available

New Amarok Specification	PR #	2.0 BiTDI 154kW 4Motion PanAmericana Automatic
<b>Engine</b>		
Cylinders		4
Capacity (cm3)		1995
Output (kW @ r/min)		154 @ 3,750
Torque (Nm @ r/min)		500 @ 1,750-2,000
CO2 emissions (g/km)		195
<b>Transmission</b>		
10-speed automatic (shift by wire)		X
<b>Performance</b>		
Top speed (km/h)		180
<b>Fuel consumption</b>		
Combined		7.5
<b>Body</b>		
Black rear gate handle	6V3	X
Body-colored bumper in front, X-style	2JB	X
Dark Matte Gray bumper in rear	2K3	X
Dark-tinted (privacy glass) rear side windows and rear window	QL5	X
Exterior mirror housings and door handles in Dark Matte Gray	6FP	X
Exterior mirrors, power-adjustable, heated and power-folding, with surround lighting	6XE	X
Heated rear window	8P1	X
Interior door handles in chrome	6JE	X
Laminated windshield made of insulating glass	4GL	X
Load compartment trim in plastic with 12-V outlet in side panel	3GP	X
Mud flaps at front and rear	6N2	X
Powder-coated (Black) styling bar	IB4	X
Radiator grille with chrome bezel	6KA	X
Side steps	QT7	X

Tie-downs on the cargo area	6B0	X
Silver roof rails	3S1	X
Underbody cladding for engine and transfer case in steel, underbody cladding for fuel tank in plastic	1SB	X
<b>Chassis</b>		
4 alloy wheels "Amadora", painted Black, spare wheel (alloy rim) with original equipment tire	45P	X
All-terrain tires 255/65 R18	84K	X
Differential lock in rear	1Y4	X
Part-time 4MOTION (2H, 4H, 4L)	0R3	X
Standard suspension system	1BA	X
Wheel locks	1PB	X
<b>Safety Equipment</b>		
3 head restraints in 2nd row of seats	3Q1	X
3-point belts in 2nd row of seats	4PP	X
3-point belts, in addition height-adjustable in 1st row of seats	3QB	X
Advanced high-beam control Dynamic Light Assist for IQ.LIGHT LED matrix headlamps	8G1	X
Driver and front passenger airbags with front passenger airbag deactivation	4UF	X
Autonomous Emergency Braking Front Assist with Pedestrian and Cyclist Monitoring	UZ3	X
Child seat anchors ISOFIX on outer rear seats, i-Size compatible	3B5	X
Electromechanical parking brake	UH2	X
Electronic Stability Control and electromechanical brake booster	1AT	X
IQ.LIGHT LED matrix headlamps	8IT	X
LED front fog lamps	8WH	X
LED rear combination lamps	8SK	X
Without seat belt pretensioners in 2nd row of seats	4RA	X
Tire Pressure Monitoring System (direct measurement)	7K3	X
Top tether	3G3	X
Warning signal and warning lamp for front seat belts not fastened	9P3	X
<b>Interior Equipment</b>		
10-way power-adjustable driver and front passenger seats	3PK	X
2 reading lights for driver and front passenger with glasses compartment in overhead console	7N2	X
3-seater bench in 2nd row of seats	3UH	X
Automatic transmission selector lever with shift-by-wire technology	0G2	X

Carpet floor covering	5AD	X
Center armrest in rear on 3-seater bench	6D1	X
Driver seat with map pocket	4U6	X
Gearshift/selector lever knob, leather	6R2	X
Glove compartment, illuminated and lockable	4Z3	X
Headliner (in Ebony Black)	6NJ	X
Leather-wrapped multi-function steering wheel	2ZU	X
Particle filter	2V1	X
Roof grab handles on driver side and front passenger side, rigid grab handles on A-pillar	5N3	X
Seat heater for both seats in cab, left and right individually controllable	4A3	X
Seats in leather Cricket	N1D	X
Single-color ambient lighting, White	QQ1	X
Sound system "Harman Kardon" with 8 speakers, including subwoofer and 640 W total power output	8RM	X
Sun visor on driver and front passenger side with illuminated vanity mirror	5XA	X
Rubber floor mats	0TG	X
<b>Functional Equipment</b>		
1 USB charging socket on the interior rearview mirror	UF1	X
120-V/230-V outlet in rear center console and in cargo area	9Z2	X
2 vehicle keys	8QJ	X
2-zone Climatronic air conditioning system	KH4	X
AM/FM antenna	QV0	X
Area View	KA6	X
Automatic Post-Collision Braking System	7W1	X
Central locking system with keyless locking and starting system Keyless Access with SAFELOCK	4I6	X
Cruise control system with Adaptive Cruise Control ACC stop & go	8T7	X
Digital cockpit with 31.2-cm (12.3-inch) color screen	9Q2	X
Dynamic headlight range control	8K7	X
Emission standard EU4	0GG	X
Heating and fresh air system	9M0	X
High-beam control Light Assist	8Q1	X
Inductive charging feature	EK2	X
Infotainment system with 30.5-cm (12-inch) color screen for navigation	I8X	X

Intermittent windshield wiper control with rain sensor	8N3	X
Lane Assist; lane keeping and lane change system, with Side Assist and trailer support	79F	X
LED cargo area lighting	9CW	X
Navigation System	7Q1	X
Park Assist with Park Distance Control in front and rear, including Rear Traffic Alert	8A2	X
Power windows in front and rear	4R1	X
Premium dashboard in leather look (vinyl)	4N3	X
Rear gate lockable via central locking system	3RQ	X
Removable trailer hitch, 7-pin	1D1, IP3	X

### Dimensions / Capacities

Fuel tank (l)	80
Wading depth (mm)	800
Length (mm)	5 350
Height (mm)	1 884
Width (mm)	1 910
Wheelbase (mm)	3 270
Turning circle (m)	12.93
Ground clearance (mm) - measured under the front axle	235
Approach / Departure angle (°) (excl. trailer hitch)	30 / 26
Ramp angle (°)	21
Load compartment length (mm)	1 624
Load compartment width between wheelhouses (mm)	1 227
Load compartment height of the side walls (mm)	529

### Weights

Roof load limit (kg) (Moving/Static)	85 / 350
Axle load limit front / rear (kg)	1,490/ 1,959
Kerb mass (minimum) without driver and with fuel (kg)	2 175
Maximum payload capacity (kg) ~ based on minimum kerb mass	1 105
Gross Vehicle mass (GVM) (kg)	3 280
Towing capacity: unbraked (kg)	750
Towing capacity: braked (kg)	3 500
Gross Combined mass (GCM) (kg)	6 500

---

**Guarantees**

---

3-year / 120 000 km manufacturer warranty

X

---

**Disclaimer**

---

Dimensions, capacities and abilities apply to standard vehicles.  
Actual consumption will vary with vehicle loading, driving style, climatic and road conditions.  
The above information is effective as at January 2024 and is subject to change.

---

Classification:Internal and External  
CSD document class 8.3/ retention period: 15 years from creation

Classification:Internal and External  
CSD document class 8.3/ retention  
period: 15 years from creation

---





AMAROK  
PanAmericana



Commercial  
Vehicles